



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/567,259	02/06/2006	Shigeo Yukawa	10873.1819USWO	3059

52835 7590 06/24/2009
HAMRE, SCHUMANN, MUELLER & LARSON, P.C.
P.O. BOX 2902
MINNEAPOLIS, MN 55402-0902

EXAMINER

DOAK, JENNIFER L

ART UNIT	PAPER NUMBER
----------	--------------

2872

MAIL DATE	DELIVERY MODE
-----------	---------------

06/24/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/567,259	Applicant(s) YUKAWA ET AL.	
	Examiner Jennifer L. Doak	Art Unit 2872	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 May 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 and 20-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-18 and 20-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 5/12/09 has been entered.

Specification

The title of the invention is not descriptive. "The title should be brief but technically accurate and descriptive and should contain fewer than 500 characters," MPEP §606. Specifically, statements concerning the general type or nature of the entire system or its components that are common to many other similar elements or systems that are known in the art are not sufficiently descriptive to provide "informative value in indexing, classifying, searching, etc.," MPEP §606.01. Examiner recommends directing the title to what Applicant believes is the point of novelty, since it is by the novelty that "indexing, classifying, searching, etc." is generally accomplished. Nevertheless, it should be noted that, pursuant to MPEP §606.01, "[i]f a satisfactory title is not supplied by the applicant, the examiner may, at the time of allowance, change the title by examiner's amendment."

Applicant's amendment is noted, but is still found insufficient. A new title is required that is clearly indicative of the invention to which the claims are directed.

Art Unit: 2872

The following title is suggested: Enclosed Lens Type Retroreflective Sheet With Wide-Angle Reflective Performance and External Illumination System Having A Focusing Layer For Larger Angle Reflective Glass Sphere Group that is Thinner at the Glass Spheres than a Focus Formation Position for the Glass Spheres.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later

Art Unit: 2872

invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-18 and 20-22 rejected under 35 U.S.C. 103(a) as being unpatentable over Bailey (US 4505967) and Hedblom ((US 6479132).

Regarding claims 1 and 22, Examiner makes the following findings of fact: Bailey discloses an enclosed lens type retroreflective sheet (Fig. 3) comprising a surface layer (10a) including at least one layer, a focusing layer (19c) containing glass spheres (27), and a metal reflective layer (28) on the back side of the focusing layer (Fig. 3), the metal reflective layer is formed on the back side of the focusing layer to follow the shape of the glass spheres (Fig. 3), and the glass spheres (col. 10, lns. 39-44) include a first glass sphere group that provides reflective performance at a small observation angle (as illustrated in Fig. 7, Curve A, between approx. 0° and 20°) and up to a large incidence angle and a second glass sphere group that provides reflective performance at a larger observation angle and up to a large incidence angle (as illustrated in Fig. 7, Curve A, between approx. 20° and 50°) in the same focusing layer (Fig. 3). Further, Bailey discloses that the surface layer is present at positions (i.e., no special definition of "positions" is found in the specification) over the first and second glass sphere groups (Fig. 3: 10a, since 10a, the surface layer, is over the glass spheres).

Bailey does not disclose that the glass spheres are disposed at random locations in the thickness direction of the focusing layer or that the focusing layer for the second glass sphere group is thinner at the glass spheres than a focus formation position for the glass spheres. Bailey and Hedblom are related as retro-reflector bead systems, and would have been known to an ordinarily skilled artisan at the time of invention. Hedblom teaches that the glass spheres are

Art Unit: 2872

disposed at random locations (col. 10, lns. 38-41) in the thickness direction of the focusing layer and that the focusing layer for the second glass sphere group is thinner at the glass spheres than a focus formation position for the glass spheres (Fig. 4; col. 3, lns. 40-44).

Examiner additionally finds that the device of Bailey constitutes a base device upon which the claimed invention can be seen as an improvement. Bailey and Hedblom are comparable devices, since both are retroreflector systems with beads, focusing layers backed with shape-fitted reflective layers. Additional layers are optional, but contemplated by Hedblom (col. 2, lns. 65-67). As set forth above, the comparable device of Hedblom was improved the same way as the claimed device: random bead distribution and varied thickness of the focusing layer. The benefit of such an improvement is that there is quality reflection in both wet and dry conditions (Hedblom, col. 6, lns. 39-67). Moreover, Examiner finds that an ordinarily skilled artisan could have applied the known improvement in the same way to the base device, and the results would have been predictable to an ordinarily skilled artisan at the time of invention.

Therefore, Examiner concludes, pursuant to *In re Nilssen*, 7 USPQ2d 1673 (Fed. Cir. 1988) and *Ruiz v. AB Chance Co.*, 69 USPQ2d 1686 (Fed Cir. 2004), that it would have been obvious to an ordinarily skilled artisan at the time of invention to modify the retroreflective sheet of Bailey with the randomness of the beads and variable focus layer thicknesses of Hedblom, since such a combination would yield predictable results to an ordinarily skilled artisan of the time.

Further regarding claim 22, the elements addressed previously in the discussion of claim 1 are hereby incorporated, and the combination discloses the following additional elements: a sign having a sign face (Bailey, col. 1, lns. 53-60), an external illumination source, where the

Art Unit: 2872

external illumination source is disposed at a fixed distance from the illumination source to the sign face is within a range of at least 1 m and no more than 100 m (i.e., it is well known in the art that a truck with a sign on it, as contemplated above by Bailey, if driving along a highway or street at night would likely pass many fixed illumination sources within the range of 1 m to 100 m of the sign on the side of the truck as it drove past street lamps. Moreover, it is noted that the flux, that is the luminous intensity of light, decreases from its source in the proportion of $1/r^2$, where r is the distance from the source; therefore, the diminished capacity of a fixed position light would render it weak to useless at larger distances such as 100 m.). The purpose of fixed roadside lighting is to illuminate stationary and moving objects, including other vehicles, for the safety of drivers along the road. Lighting must be placed at an appropriate distance from the object or area to illuminate relative to its flux capacity to be effective.

Therefore, it would have been obvious to an ordinarily skilled artisan at the time of invention to use a fixed light to illuminate a sign face at a range of 1 m to 100 m, since sufficient illumination is necessary to use it as a safety feature of the road.

Regarding claim 2, the combination further discloses that the first glass sphere group comprises spheres in contact with the surface layer (Bailey, Fig. 3), and the second glass sphere group comprises spheres located away from the surface layer (this is true via the teaching of the combination that the spheres can be randomly distributed in the focusing layer direction; Hedblom, col. 10, lns. 38-41).

Regarding claim 3, the combination further discloses that the metal reflective layer of the first glass sphere group is formed at the focus formation position of the glass spheres (Bailey, col. 1, lns. 20-26).

Art Unit: 2872

Regarding claim 4, the combination further discloses that the focusing layer formed in the form of concentric circles on the glass sphere surfaces of the glass spheres in contact with the surface layer has a thickness at which the maximum reflective performance is exhibited at an observation angle of 0.2° and an incidence angle of 5° (Bailey, Fig. 7: Curve B, in that there is a local maximum within the claimed range as well as another, approximately equal maximum later in the same curve between 20° and 50°), the thickness of the focusing layer of the glass spheres located away from the surface is less than the thickness of the focusing layer of the glass spheres in contact with the surface layer (i.e., this limitation is seen to be met by the combination since the spheres have different thicknesses of the focusing layer and are randomly dispersed), and the glass spheres located away from the surface layer exhibit retroreflective performance at a relatively larger observation angle than the glass spheres in contact with the surface layer (i.e., this limitation is seen to be met by the combination since the spheres have different thicknesses of the focusing layer and are randomly dispersed).

Regarding claim 5, the combination does not proportion of glass spheres in contact with the surface layer is from 50 to 90 weight percent of the total glass spheres. However, this limitation is inherent to the structure previously recited, and the claim language is necessarily met by that structure. Absent a showing to the contrary, the features recited above would be met by the structure of the combined teachings of the prior art or would be met during use of the same.

Regarding claim 6, the combination further discloses the refractive index of the glass spheres is within a range of at least 2.10 and no more than 2.40 (Hedblom, col. 4, lns. 63-67).

Art Unit: 2872

Regarding claim 7, the combination further discloses the glass spheres have a median diameter within a range of at least 35 μm and no more than 75 μm (Bailey, col. 4, lns. 37-41), and at least 80% of the glass spheres have a median diameter within a range of ± 10 μm (col. 4, lns. 37-41).

Regarding Claims 8-18, the combination further discloses that specific chemicals can be used, including polyvinyl acetal resin, polyvinyl butyral resin, olefin copolymers, polyester resins, alkyd resins, polyurethane resins, vinyl resins, and acrylic polymers (Hedblom, col. 7, lines 18-33; col. 9, lines 10-37; col. 10, lines 1-19). The weight relationships, transition point temperatures, solvent relationships, and related anti-foaming agents are not explicitly disclosed, but are well known in the art. Therefore, absent a showing of criticality, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the chemicals and the claimed relations, since they result in retro-reflectors that remain retro-reflective in wet or dry conditions.

Regarding claims 20 and 21, the combination further discloses the illumination source emits light that is incident on the sign face at an incidence angle of between at least 0° and 50° to the sign face (Bailey, Fig. 7); that the sign face exhibits reflective performance of at least 0.07 at an observation angle of 35° when reference light (Bailey, Fig. 7); that the reflective performance at an observation angle of 40° and an incidence angle of 50° is at least 0.055, and so forth as set forward in the remainder of claims 20 and 21). The combination does not disclose that the angle cannot be more than 50° or that the color temperature of the light is 2856K. The wavelength, whose color temperature is 2856K, is a well known marker line for mercury vapor emissions. Mercury lamps are notoriously well known in the art for outdoor light sources, for signs or for

Art Unit: 2872

general illumination. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to use a mercury lamp to illuminate a sign.

The combination does not explicitly disclose that the retroreflective coefficient $R' = I/ES \cdot A$; However, this feature is seen to be an inherent teaching of that device since the structure as claimed is disclosed, and it is apparent that the same structure must be present for the device to function as intended.

Response to Arguments

Applicant's arguments filed 4/14/09 have been fully considered but they are not persuasive.

Applicant argues (1) that the Bailey reference does not support that large and small angle performance because the spheres of the reference are embedded in the surface layer, and, thus, unable to attain large and small angle performance (REMARKS p. 7-8); (2) The Fig 7: A curve shows different reflectivity between 0° - 20° and 20° - 50° , and there is no evidence of a second group of spheres; further, the change in angle is small: 0.2° , 2° , and 4° (p.8); (3) the specification provides sufficient support for large and small angles and standards at the cited locations; (4) Bailey does not show that a thinner focusing layer; (5) the combination is inappropriate because there are significant differences between the two references, especially as applied to claim 2.

However, Examiner respectfully disagrees: (1) No special definition is found in the claim or the specification for large and small angles; citation to various angles which may be considered large or small is provided. Thus, this limitation is met by the combination. (2) The claim merely requires "reflective performance" at large and small angles, and the reflective performance is non-zero. No special definition is found in the claim or the specification for large

Art Unit: 2872

and small angles. Moreover, the curve is evidence of more than one group of spheres, since it is apparent by the structure and reference that Curve A is not the reflectance of each, and every single sphere, since there may be interference. (3) Examiner does not dispute support, but the cited support does not rise to the level of a "special definition." The MPEP notes:

Where an explicit definition is provided by the applicant for a term, that definition will control interpretation of the term as it is used in the claim. *Toro Co. v. White Consolidated Industries Inc.*, 199 F.3d 1295, 1301, 53 USPQ2d 1065, 1069 (Fed. Cir. 1999) (meaning of words used in a claim is not construed in a "lexicographic vacuum, but in the context of the specification and drawings."). **Any special meaning assigned to a term "must be sufficiently clear in the specification that any departure from common usage would be so understood by a person of experience in the field of the invention."** *Multiform Desiccants Inc. v. Medzam Ltd.*, 133 F.3d 1473, 1477, 45 USPQ2d 1429, 1432 (Fed. Cir. 1998). (MPEP §2106(II)C – [**Emphasis** added].)

If Applicant intends these ranges to constitute a special definition, amendments may be made to either the claims or specification to make it sufficiently clear that this is the intent. Otherwise, absent a special definition, Examiner is obligated to take the broadest reasonable interpretation not in conflict with the specification. It is noted that the feature upon which applicant relies (i.e., "small angle" or "large angle") has been given its broadest reasonable interpretation. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

(4) It may be seen in Fig. 3 that the distance from the top surface to the top of 10a to the larger spheres is smaller than the distance from the top of 10a to the top of the smaller spheres.

(5) The secondary reference was cited for a specific teaching of randomness of beads in a retroreflector, and cannot be construed as a bodily incorporation of the two references. Thus the purpose for which the secondary reference was cited, mere randomness of distribution, is not found to be so significantly contrary as to render the combination invalid. Applicant's arguments

Art Unit: 2872

appear to be directed to numerous and extraneous subtleties of Hedblom, which are not cited for the claims, do not act in entire opposition to either reference, or discredit any elements so as to void such a combination. (See at least *In re Susi*, 440 F.2d 442, 169 USPQ 423 (CCPA 1971), *In re Gurley*, 27 F.3d 551, 554, 31 USPQ2d 1130, 1132 (Fed. Cir. 1994), *In re Fulton*, 391 F.3d 1195, 1201, 73 USPQ2d 1141, 1146 (Fed. Cir. 2004), MPEP §2124). The test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

As set forth above, Examiner respectfully disagrees, and thus maintains the rejection as set forth.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer L. Doak whose telephone number is (571)272-9791. The examiner can normally be reached on Mon-Thurs: 7:30A-5:00P, Alt Fri: 7:30A-4:00P (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephone B. Allen can be reached on 571-272-2434. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2872

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. L. D./
Examiner, Art Unit 2872

/Stephone B. Allen/
Supervisory Patent Examiner
Art Unit 2872